

VYDAN-25%

FUNGICIDE
EMULSIFIABLE CONCENTRATE

Class :
Triazole

A systemic fungicide with protective and curative action, used to control a wide range of fungal diseases such as: Powdery mildew and Rusts on a wide range of agricultural crops.

COMPOSITION : Each liter contains :

TRIADIMENOL

25% W/V (A.I.)

PROPERTIES :

VYDAN-25%: Is a systemic fungicide with protective and curative action.

VYDAN-25%: Used to control fungal disease on a wide range of agricultural crops.

VYDAN-25%: Absorbed by the roots and leaves with ready translocation in young growing tissues.

VYDAN-25%: Used to control a wide range of fungal disease such as: Powdery mildew and Rusts.

VYDAN-25%: Not phytotoxic if used as recommended.

USAGE AND DOSAGE :

CROP	DISEASE	APPLICATION RATE ML/ 20 LT. WATER	SAFETY PERIOD
Banana.	Black sigatoka, Yellow sigatoka.	8 - 10	14 days
Eggplant, Cucumber, Tomatoes. Melon, Beans, Peas. Pepper, Pumpkin.	Powdery mildew .	8 - 10 2 - 4	14 days 3 - 5 days 7 days 8 days 7 days 5 days
Cereals.	Powdery mildew, Black stem rust, Brown rust.	8 - 10	35 days
Pear Apple Nectarines, Peach.	Pear rust . Powdery mildew. Powdery mildew.	4 - 8 2 - 4 4 - 8	14 days
Grapes.	Powdery mildew.	2 - 4	14 days
Tobacco.	Powdery mildew.	2 - 4	35 days

NOTE : In Cereals use 15-60 lt. Water/Donum.

Donum = 1000 m².

CAUTION: Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD: 24 hours after the last application.

COMPATIBILITY: Compatible with most pesticides except alkaline compounds.

* **OTHER FORMULATIONS:** VYDAN - 15% WP, VYDAN - 25% WP.

- For more details about first aid & precautions please refer to first aid & precautions index .