

VAP-MALATHION - 50%

Class :
Organophosphate

INSECTICIDE EMULSIFIABLE CONCENTRATE

Non systemic Organophosphorus insecticide with a wide spectrum of uses in agricultural field.

COMPOSITION : Each liter contains :

MALATHION 50% W/W (A.I.)

PROPERTIES :

VAP-MALATHION - 50% : Non systemic organophosphorus insecticide to control a wide range of insects.

VAP-MALATHION - 50% : Control a wide range of insects like: Bugs, Aphids, Thrips, Leaf maggot, Pear psylla and Grain beetles.

VAP-MALATHION - 50% : Slightly toxic to mammals.

VAP-MALATHION - 50% : Non phytotoxic when used as recommended.

USAGE AND DOSAGE :

CROP	PEST	APPLICATION RATE / 20 LT. WATER	SAFETY PERIOD (DAYS)
Bean, Cabbage, Cauliflower, Eggplants, Peas, Pepper, Carrots, Radish, Tomato, Onion, Cucumber, Watermelon, Squash.	Aphid, Leaf worms, Cutworms.	25 – 30 ml	7
Apples, Pears, Peach, Apricots, Plum, Figs, Olives, Pomegranate, Citrus.	Aphids, Fruit fly, Olive fruit fly, Codling moth.	30 – 40 ml	21
Wheat.	Leaf Maggot.	40 – 50 ml	21

CAUTION: Used only on above mentioned crops and follow the recommended safety period before harvest.

PHYTOTOXICITY:

- Non - phytotoxic in general, if used as recommended .
- But glass house cucurbits and beans, certain ornamentals and some varieties of apple, pear and grape may be injured.

RE-ENTRY PERIOD : 24 hours after the last application.

COMPATIBILITY : Compatible with most pesticides except alkaline materials.

* OTHER FORMULATIONS & TRADE NAME:

VAP-MALATHION - 50% WP, VAP-MALATHION - 96% ULV (PUBLIC HEALTH) ,
DUSTRIN - 5% (DUSTING POWDER), .

- For more details about first aid & precautions please refer to first aid & precautions index .