

# ASCAZINE

## Water Soluble Powder

The safe and effective anthelmintic against intestinal round worms

**COMPOSITION:** Each gm contains:  
Piperazine citrate 360 mg

### PROPERTIES:

- Has a wide margin of safety, it can be used for young or pregnant animals.
- Excellent efficacy against different species of intestinal nematodes (round worms) in poultry, ruminants, equines, rabbits, dogs and cats.

### INDICATIONS:

Treatment and control of ascariidiosis due to intestinal nematodes (round worms) such as: *Ascaridia*, *Capillaria*, *Oxyuris*, *Strongylides*, *Oesophagostomum* etc..., in poultry and other domestic animals.

### DOSAGE:

- **Poultry:** (Treatment duration for 2 successive days).  
(0.8-1) gm per bird daily.  
(32 mg activity / kg body wt.).  
(8-10 sachets of 100 gm per 1000 birds daily.  
**OR** (0.8-1) kg per 1000 birds daily.
- **Sheep, Goats, Cattle, Camels, Equines:**  
0.8 gm per kg body wt.  
(110 mg activity / kg body wt.).
- **Rabbits:**  
0.5-0.8 gm per kg body wt.  
(70-105 mg activity / kg body wt.).
- **Dogs, Cats:**  
0.35-0.5 gm per kg body wt.  
(45-65 mg activity / kg body wt.).
- Repeat treatment after 4-6 weeks for one day.

**SAFETY PERIOD:** For meat consumption: 2 days.

**STORAGE:** Keep in a dry, dark place at (15-30) °C.

**PACKING:** (100, 250, 500, 1000) GM.