

# **ENROSOL-20%**

## **Oral Solution**

**COMPOSITION:** Each ml contains:

Enrofloxacin

**200 mg**

## **PROPERTIES:**

- The effective anti-bacterial agent which belongs to fluoroquinolone group.
- Characterised by quick absorption and rapid high serum level.
- Has a broad spectrum efficacy against a wide range of bacteria and mycoplasmas.

## **INDICATIONS:**

- **Poultry:** CRD, Colibacillosis, Coryza, Fowl cholera, Fowl typhoid, other Salmonellosis (S.typhimurium, S.enteritidis etc.), Staph and Strept infections, Mycoplasmosis, Omphalitis and yolk Sac infection, and Erysipelothrix infections of turkeys.
- **Calves, Lambs:** Respiratory tract infections (Pasteurella, Mycoplasma), enteritis, dysentery, diarrhea of newly-born and growing off-springs, caused by (Colibacillosis, Salmonellosis), and Haemophilus.
- **Rabbits:** Pasteurellosis, Enterotoxaemia, Enteritis, dysentery, respiratory tract infections.
- **Piglets:** Respiratory tract infections, diarrhea and enteritis of newly-borns, caused by bacteria (E. Coli, Salmonella etc.).

## **DOSAGE:**

- **Treatment:**
  - **Poultry:** 50 ml/ 200 litres of drinking water for 3 days.
    - In cases of salmonella, continue treatment for additional 2 days.
  - **Calves, Lambs, Kids, Rabbits, Piglets:** (3-5 mg active substance /kg B.wt. daily): 0.15-0.25 ml/10 kg B.wt. daily and orally for 3-5 days.
- **Prevention:** Half dosage for the same period.

**SAFETY PERIOD:** For meat consumption: 7 days.

**STORAGE:** Keep in dry, dark place below 30 °C.

**PACKING:** (100, 250, 500, 1000) ML.