

For Poultry

COMPOSITION: Each gm contains:

Erythromycin thiocyanate 200 mg Flumequine 200 mg

PROPERTIES:

- Erythromycin, a macrolide antibiotic, is safe and highly active against Gm+v and Gm-ve bacteria such as: Staph, Strept, coryne, Coli, Pasteurella, Mycoplasma, Pneumococci, Haemophilus, Erysipelothrix etc....
- Flumequine, a bactericidal antibiotic of the quinolone group, exerting its action in the alimentary and respiratory tracts; has rapid absorption and diffusion with quick maximum serum level.

INDICATIONS:

- For prevention and treatment of the following diseases in poultry:
 Fowl typhoid, Fowl cholera, CRD, Infectious sinusitis, Infectious synovitis Colibacillosis, Air succulitis,
 Enteritis.
- A supportive treatment in cases of respiratory, viral diseases and clostridial infections.
- Stress conditions due to vaccination, debeaking, transporting, rehousing, changes of feed and weather.

DOSAGE:

Firstly, dissolve well 100 gm in 1-2 litres of water then add to the water bulk to be medicated.

- **Treatment:** 100 gm / 200 litres of drinking water for 5 days.
- **Prevention:** Half dosage for the same period.

SAFETY PERIOD:

For meat and eggs consumption: 7 days.

REMARK:

Trimethoprim – sulphonamide and nitrofurans products should not be associated with flumequine treatment.

STORAGE: Keep in dry, dark place below 30 °C.

PACKING: (100, 250, 500, 1000) GM.