

injectable solution
analgesic, spasmolytic, antipyretic, anti - inflammatory

PROPERTIES :

- it belongs to the pyrazolone group which exhibits analgesic , antipyretic , antirheumatic and antispasmodic action .
- it relieves the spasms of the smooth muscles .

- for sheep , goats, cattle , equines, dogs, cats, pigs.
- different abdominal colicky pains , meteorism and tympanitis.
- spasms of the uterine cervix during parturitions .
- a cute gastric dilatation accompanied by severe colic attacks .
- preparation of surgical and obstetric operation.
- pains due to the intestinal constipation in horses.
- oesophageal obstruction (choke) by foreign bodies to relieve spasms.
- alleviation of irritation and distress of the equines to prepare them for stomach lavage .
- biliary and renal colic (urolithiasis).
- feverish cases of acute mastitis , influenza.
- acute and chronic arthritis, joints and muscular rheumatism , neuritis, neuralgia , tendovaginitis.
- bronchial spasms with dyspnea.

- equines : 20-60 ml (4 ml/ 50 kg).
- foals : 5-15 ml .
- cattle : 15-40 ml .
- sheep , goats : 2-10 ml .
- pigs : 10-30 ml .
- dogs : 1-5 ml .
- cats : 0.5-2 ml .
- injections may be repeated .
- very slow intravenous injections may be applied in very severe conditions, but the dose should be reduced .

- the race – horse should get rest for 5 days before the race.
- phenylbutazone and barbiturats should not be given due to drug interaction.

- ◀ for meat consumption : 12 days.
- ◀ for milk consumption : 4 days.

- keep refrigerated (2 – 8 °C).

- do not freeze .
- protect from light .

PACKING : (50,100) ml .