

Water Soluble Powder

**COMPOSITION:** Each gm contains:

Doxycycline HCl	100 mg
Oxytetracycline HCl	200 mg

## **PROPERTIES:**

- A combination of two broad spectrum antibiotics which are effective against different Gm +ve and Gm -ve bacteria and some large viruses.
- The rapid absorption and slow excertion of doxycycline exerts additional activity.

## **INDICATIONS:**

- Prevention and treatment of different infections of the respiratory, alimentary and urogenital tracts infections such as: Mycoplasmosis, CRD, Coryza, Colibacillosis, Omphalitis and Yolk sac Infection, Enteritis, Salmonellosis, Pasteurellosis, Necrotic enteritis, Clostridial infections, Air succulitis, Sinusitis, Synovitis, Staph, Strept, Coryne, Hexamitiasis, Spirochaeta, Listeria, Leptospira, Vibrio, diarrhea.
- Stress conditions due to vaccination, rehousing, debeaking, transporting, changes of feed and weather.

DOSAGE: (Treatment duration for 5 days)

- Poultry:
  - Treatment: 100 gm per 200 litres of drinking water.
  - Pre-ruminating (calves, lambs and kids): 0.5 gm per 10 kg B.wt. daily and orally with water.
- **Prevention:** Half dosage for the same period.

## **SAFETY PERIOD:**

- For meat consumption: 7 days.
- For egg consumption: 3 weeks.

## **REMARKS:**

- Not recommended for table-eggs layers.
- During application, do not medicate water with minerals salts.
- During treatment, eggs not used for human consumption.

**STORAGE:** Keep in dry, dark place below 30 °C.

PACKING: (100, 250, 500, 1000) GM.