

injectable solution For Sheep, Goats, Cattle, Camels

COMPOSITION: Each ml contains :

Closantel

100 MG

PROPERTIES :

- a salicylanilide anthelmintic with a wide spectrum activity against several spp. and developmental stages of trematodes (adults and juvenile flukes , nematodes, parasitic larvae of flies and arthropodes.
- has a lasting effect, as it keeps therapeutical levels for long period.
- due to its prolonged terminal plasma half-life, where the long persistence of activity helps prevent haemonchus infestation of sheep up to (60) days, and enhances efficacy against fasciolasis.
- well tolerated and safe .
- has no adverse effect on the reproductive activity (in rams, bulls, ewes).

INDICATIONS :

- for the treatment and control of different endo and ectoparasites attacking the ruminants .
- trematodes (hepatic distomiasis : liver flukies (fasciola hepatica, f.gigantica), paramphistomum.
- nematodes (round worms) : haemonchus, strongyloids, oesophagostomum , bunostomum , chabertia, gaigeria, cooperia, ostertagia, capillaria.
- sheep nasal bot fly (oestrus ovis) larvae.
- myiasis (cattle grubs warble -):hypoderma bovis, h.lineatum.
- myiasis (tropical cattle grubs) : dermatobia hominis.
- lice infestation (pediculosis):
 - biting lice : damalina
 - sucking lice : linognatus , haematopinus .

DOSAGE : (BY SUBCUTANEOUS INJECTION)

ANIMALS	PARASITES SPP.	CLOSANTEL-5%
Cattle, Camels	• FASCIDA SPP., NEMATODES • HYPODERMA SPP.	1 ml /20 kg b.wt. 1 ml /10 kg b.wt
	• Fasciola Spp., Nematodes,	1 ml /10 kg b.wt.
Sheep , Goats	 Parmphistomum Haemonchus, Other Nematodes , Oestrus Ovis Larvae 	1 ml /10 kg b.wt. 1 ml /20 kg b.wt.

<u>SAFETY PERIOD</u>: for meat consumption : 30 days . for milk consumption: 7 days.

STORAGE :

Keep in dry, dark place below 30 °C.

PACKING : (50,100) ML .