

Oral Drench Anthelmintic For Sheep and Goats

Ivermectin **0.08% (w/v)**

- It has a wide safety margin at the recommended dose level.
- Safe for youngs, adults and pregnant.

- **Gastro-intestinal nematodes “Round Worms”:** (Adults and immatures), Haemonchus, Chabertia, Ostertagia, Nematodirus, Trichuris, Cooperia, Bunostomum, Strongyloides, Oesophagostomum, Trichostrongylus etc....
- **Lung Worms:** Dictyocaulus (Adults and immatures).
- **Sheep nasal Bot:** (Oestrus ovis) larvae.

Sheep, Goats: 2.5 ml / 10 kg body wt.
(0.2 mg ivermectin / kg body wt.)

- Slight cough may occur in some animals.
- Milk, during treatment, should not be used for human consumption.
- Pregnant animals can be treated.
- Repeat treatment if necessary.

- For meat consumption: 7 days.
- For milk consumption: 14 days.

- Wash hands after use.
- Avoid contact with eyes, mouth and skin.
- Don't contaminate ponds, canals and water sources.
- Don't smoke or eat during usage.
- Empty containers should be disposed safely.
- Keep away from food, drinks and children.

PACKING: (100, 250, 500, 1000) ML.