

# BOXER-30%

**PUBLIC HEALTH INSECTICIDE  
EMULSIFIABLE CONCENTRATE**

**Class :  
Pyrethroid**

**Has a high insecticidal activity against public Health insect pests with contact and stomach action.**

**COMPOSITION :** Each liter contains:

**ETOFENPROX**

**30% W/V (A.I)**

**PROPERTIES:**

**BOXER-30%:** Has high insecticidal activity and provides very quick killing action against a broad spectrum of vectors transmitted diseases and pests including Mosquitoes, Flies, Cockroaches, Bugs, Fleas, etc.

**BOXER-30%:** Is a most effective insecticide when used against Organophosphate compound and Carbamate resistant insect pests. Furthermore it provides excellent persistence on wall surfaces and net fibers.

**BOXER-30%:** Is a chemically stable compound and maintains its high insecticidal activity even when used in conjunction with extremely alkaline or acidic products.

**BOXER-30%:** Low impact on environment and not toxic to bees and beneficial invertebrates, environmental friendly.

**USAGE AND DOSAGE:**

TARGET PEST	APPLICATION METHOD	DOSAGE AND DILUTION RATE
<b>Fly adults, Mosquito adults, Cockroaches, Bedbugs, Fleas And Other.</b>	Space spray	Spray directly upon flies and Mosquitoes. 3-7 ml in 1 lt. Water (1:150 - 1:300 dilution).
	Residual spray	Spray upon the ceiling and wall where Flies and Mosquitoes perch frequently. 8-17 ml in 1 lt. of water (1:60 - 1:120 dilution).
<b>Fly larvae</b>	Spray upon the habitat and garbage.	1.7 ml in 1 lt. of water (1:600 dilution).
<b>Mosquitoes larvae</b>	Spray onto the habitat.	17-33 ml in 1 lt. of water (1:30 - 1:60 dilution).

**RE-ENTRY PERIOD:** 24 hours after the last application.

**RESIDUAL ACTIVITY:** About 4 months.

**\* OTHER FORMULATION: BOXER-30% EC W/W.**

- For more details about first aid & precautions please refer to first aid & precautions index .