

# ***ERYTHRODONE-10%***

**Injectable Solution  
For Sheep, Goats, Cattle, Pigs**

**COMPOSITION:** Each ml contains:

Erythromycin	100 mg
Lidocaine	50 mg

**PROPERTIES:**

- Erythromycin, a macrolide antibiotic which has a broad spectrum activity, outstanding therapeutic effectiveness and safety.
- It is highly active against gm+ve and gm-ve bacteria: Staph, Sterpt, Pneumococci, Pasteurella, Haemophilus, Brucella, Mycoplasma, Listeria, Rickettsia, Clostridia, Campylobacter, Enterococci, Erysipelothrix.
- It reduces the virulence of bacteria, even those that are not included in its spectrum of activity.

**INDICATIONS:**

- Respiratory tract infections:  
Tracheitis, Bronchitis, Bronchopneumonia, Pneumonia, Rhinitis,
- Gastrointestinal tract infections:  
Enteritis, Lamb dysentery ( Clostridia ), peritonitis, Reticulo-peritonitis.
- Urogenital tract infections:  
Nephritis, Pyelonephritis, Cystitis, Metritis, Vaginitis.
- Mastitis (supportive treatment), Foot Rot, Mycoplasmosis, Shipping fever, Septicaemia, Leptospirosis, Pyaemia, Erysipelas, Vibriosis.
- Skin infections: Pyoderma, Furunculosis, Abscesses.

**DOSAGE:** Deep intramuscular injection:

- Cattle, Sheep, Goats, Swine: 1 ml / 20 kg B.wt. given once or twice daily for 2-3 days.

**REMARKS:**

- Change the injection site each time, and the dose may be subdivided.
- A transient local irritation may occur after injection for few days.
- Not given with penicillins, as interference action may occur.

**SAFETY PERIOD:**

For milk consumption: 3 days.

For meat consumption: 7 days.

**STORAGE:** Keep in dry, dark place below 30 °C.

**PACKING:** ( 50, 100) ml.