ACOCHEM-25%





Systemic insecticide with translaminar activity and with contact and stomach action, readily taken up by plant and further distributed acropetally with good root-systemic action.

COMPOSITION: Each kg contains:

IMIDACLOPRID 25% W/W (A.I)

PROPERTIES:

ACOCHEM-25%: Used as systemic insecticide with contact and stomach action.

ACOCHEM-25%: Control a wide range of pests such as Aphids, Thrips, Whitefly, Leafminers

and Moth.

USES AND APPLICATION RATE:

CROP	PESTS	APPLICATION RATE GM / 20 LT. WATER	SAFETY PERIOD (DAYS)
Cucumber, Squash, Watermelon, Muskmelon, Pumpkin	Whitefly, Leafminers, Aphids, Thrips, Leafhoppers	4 - 8	7
Beans, Lettuce, Carrots, Pepper	Whitefly, Leafminers, Aphids, Thrips, Leafhoppers	8 - 20	7
Tomatoes	Whitefly	4 - 5	7
Potatoes	Leafminers	4 - 5	30
Eggplant	Aphids	4 - 5	7
Field crops, Maize, Wheat, Barley	Aphids	12 - 20	21
Apple, Pear, Quince, Plum, Peach, Almond, Apricots, Cherries, Nectarine	Leafminers, Aphids, Thrips, Leafhoppers	7 - 14	21
Lemon, Orange, Pummelo, Mandarin, Grapefruit	Aphids, Thrips, Psylla, Scale Insects, Mealybug	15 - 20 gm/ 5 L of water / tree	10
Palm	Scale Insects	15 - 20 gm/ 5 L of water / tree	After harvest
Ornamentals	Whitefly, Aphids, Thrips	12 - 20	

[•] For more details about first aid & precautions please refer to first aid & precautions index.

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD:

48 hours after the last application.

COMPATIBILITY:

Compatible with most pesticides except alkaline compounds such as Bordeaux mixture. It's preferable to use the product immediately after mixing.

[•] For more details about first aid & precautions please refer to first aid & precautions index.