

# VAPCO

VETERINARY & AGRICULTURAL PRODUCTS MANUFACTURING CO. LTD.



# ACTEVAP-50% EC PUBLIC HEALTH INSECTICIDE EMULSIFIABLE CONCENTRATE

#### BROAD-SPECTRUM ORGANOPHOSPHATE INSECTICIDE USED TO CONTROL INSECTS IN GRAINS AND STORE GRAINS IN ADDITION TO CONTROL FLIES/WASPS

**COMPOSITION:** Each liter contains:

## PIRIMIPHOS METHYL

50.0 % W/V (A.I)

### PROPERTIES:

ACTEVAP-50%: A FAST ACTING BROAD-SPECTRUM ORGANOPHOSPHATE INSECTICIDE OF LOW MAMMALIAN TOXICITY THAT KILLS INSECTS BY CONTACT, INGESTION AND FUMIGANT ACTION

#### ACTEVAP-50%:

PROVIDES RAPID KNOCKDOWN OF INSECT PESTS AND WILL PERSIST ON WALLS, FLOORS AND OTHER INERT SURFACES TO GIVE RESIDUAL CONTROL



# VAPCO

# VETERINARY & AGRICULTURAL PRODUCTS MANUFACTURING CO. LTD.



# USES AND APPLICATION RATE:

### **GRAIN / STORAGE PESTS**

SITUATION	PESTS	APPLICATION RATE	NOTES
EMPTY GRAIN STORES, GRAIN HANDLING EQUIPMENT AND THE TREATMENT OF BAGGED SMALL GRAINS UNPAINTED CONCRETE SURFACES	SAW-TOOTHED GRAIN BEETLE, GRANARY WEEVIL, MAIZE WEEVIL, RICE WEEVIL, GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, FRUIT MOTH, CEREAL MITE, FLOUR MITE, FLAT GRAIN BEETLE, INDIAN MOTH, BEETLE BROWN HOUSE MOTH, BEAN WEEVIL, WHITE SHOULDERED HOUSE MOTH, AUSTRALIAN SPIDER BEETLE, DRIED FRUIT MOTH	200 ML IN 10 LITRES OF WATER	SPRAY TO POINT OF RUN-OFF.
OTHER SURFACES		100 ML IN 10 LITRES OF WATER	SPRAY TO POINT OF RUN-OFF.
BAGGED GRAIN		50-100 ML IN 5 LITRES OF WATER PER 100 SQUARE METRES	USE THE HIGHER RATE FOR EXISTING INFESTATIONS.
MIXED TO STORED GRAIN		8ML PER TON OF GRAIN	THE MAXIMUM CONCENTRATION MUST NOT EXCEED 8 ML PRODUCT / 0.75 LITRES WATER.



# VAPCO

# VETERINARY & AGRICULTURAL PRODUCTS MANUFACTURING CO. LTD.



### FLIES / WASPS

SITUATION	PESTS	APPLICATION RATE	NOTES
INDOOR RESIDUAL SPRAY SLAUGHTER HOUSES, DAIRY FACTORIES, POULTRY HOUSES	FLIES	100 ML IN 10 LITRES OF WATER	REMOVE ALL ANIMALS FROM AREAS TO BE TREATED AND DO NOT USE IN AREAS WHERE DAIRY OR MEAT PRODUCTS OR PACKAGING MATERIALS ARE PROCESSED, PACKED OR STORED. APPLY USING A COARSE SPRAY, APPLY TO WET ALL SURFACES. PARTICULAR ATTENTION SHOULD BE PAID TO AREAS WHERE FLIES CONGREGATE. REPEAT MONTHLY OR WHEN FLIES REAPPEAR.
OUTDOOR STOCKYARDS, AROUND ANIMAL HOUSES, BINS AND COMPOST HEAPS	FLIES	500 ML IN 10 LITRES OF WATER PER 100 SQUARE METRES	USE AFTER REMOVING ALL ANIMALS FROM AREAS TO BE TREATED.
OUTDOOR NESTS	WASPS	100 ML IN 10 LITRES OF WATER	THOROUGHLY SPRAY NESTS AND SURROUNDING AREA. TREAT IN THE EVENING OR EARLY MORNING WHEN WASPS ARE NOT ACTIVE. PLUG ENTRANCE AFTER TREATMENT.

NOTES:

- ALL TREATED SURFACES SHOULD BE FREE OF DUST, DIRT OR FOOD RESIDUES

- TYPE OF SURFACES SHOULD BE CONSIDERED AS SHOWN BELOW:

- ✓ USE 5 LT OF WATER/ 100 SQUARE METER IF YOU SPRAYED NORMAL SURFACES.
- ✓ POROUS SURFACES SUCH AS BRICKS, CONCRETE AND UBPAINTED WOOD YOU SHOULD USE 15 LT OF WATER/ 100 SQUARE METER

#### COMPATIBILITY:

NOT COMPATIBLE WITH OTHER PRODUCTS

### **RE ENTRY PERIOD:**

THIS PRODUCT IS USEDF FOR PUBLIC HEALTH