AMPROCOX





COMPOSITION: Each gm contains:

Amprolium HCL 200 mg Sulfaquinoxaline Na 200 mg Vitamin K3 2 mg Vitamin A 10.000 LU

PROPERTIES:

- An effective combination of Amprolium & Sulphaquinoxaline (SQS) which enhances the spectrum of activity of the product.
- Amprolium is effective against different Eimeria spp. of coccidia. It acts against the first generation schizonts of the developing coccidia.
- SQS is effective, particularly, against caecal and intestinal coccidia, and it has antibacterial activity against Salmonella and Pasteurella pathogens. It acts also against the second generation schizonts of coccidia.
- Vitamin K alleviates any probable, slight harm of the sulpha component.
- Vitamin A protects and regenerates the damaged intestinal lining epithelia caused by coccidia and other infections, so the integrity of epithelia is vital and important to restore the normal functions of intestine (nutrients absorption and prevention of invasive bacteria).

INDICATIONS:

Prevention and treatment of coccidiosis, diarrhea, enteritis and bacterial infections caused by E.coli, Salmonella, Staph, Pasteurella in poultry (chickens, turkeys), rabbits and small ruminants.

DOSAGE:

- Treatment:
 - Poultry: 100 gm per 200 litres of drinking water for 3 days, followed by plain water for 2 days, then
 apply medicated water for the next 3 days.
 - Rabbits: 0.5 gm per litre of drinking water for 3-4 days.
 - Lambs, Kids, Calves: 2 gm per 10 kg B. wt. daily and orally with water for 3-4 days.
- Via feed: 1 kg per ton for the same period.
- **Prevention:** Half dosage for the same period.

SAFETY PERIOD: For meat consumption: 7 days.

REMARKS:

- · Not recommended for laying stocks and milking animals.
- Ensure adequate water intake during treatment, to reduce the risk of crystalluria.

STORAGE: Keep in a dry, dark place below 30 °C

PACKING: (100, 250, 500, 1000) gm.