

CHLOROFET - 48%

**INSECTICIDE
EMULSIFIABLE CONCENTRATE**

VAPCO

Class:
Organophosphate

A non-systemic organophosphate insecticide with contact, stomach and respiratory action, used to control insects that affect Potatoes, Carrot, Citrus and fruit trees... etc

COMPOSITION: Each liter contains:

CHLORPYRIFOS

48% W/V (A.I.)

PROPERTIES:

CHLOROFET-48%: Insecticide specific to control sucking and scale insect and other insects affecting crops including Citrus, Pome fruits, Stone fruits, and olives.

CHLOROFET-48%: Non-systemic insecticide which acts primarily by contact, stomach and respiratory action.

CHLOROFET-48%: Used to control soil insects.

CHLOROFET-48%: Non phytotoxic to most species of plants when used as recommended.

USES AND APPLICATION RATE:

CROP	PESTS	APPLICATION RATE ML / 20 LT. WATER	SAFETY PERIOD (DAYS)
Grapes	Scale insects, Jassids, Bud worms	14	21
Citrus	Red scale insect, Mealy bug, Black scale insect, Brown scale insect, Citrus flower cut, Whitefly, Thrips.	21 - 25 spray during june- september before infestation of the fruit. Spray 3 times during the season.	21
Apple, Pear, Apricot, Peach, Plum, Olive.	Aphid, Fruit worm, Leaf piercing insect, olive scale, Spider mite, Codling moth, Wooly aphid.	17 - 25	14
Tomato, Eggplant, Pepper	Fruitworm, Cutworms, Leafworms, Aphids, Whitefly, Thrips.	40 - 50 spray when worms or eggs appear. Repeat spraying every 2 weeks	14 7
Cucurbits	Cutworms, Leafworms, Aphids, Whitefly, Thrips.	40 - 50 spray when worms or eggs appear. Repeat spraying every 2 weeks	14 7

• For more details about first aid & precautions please refer to first aid & precautions index.

CROP	PESTS	APPLICATION RATE ML / 20 LT. WATER	SAFETY PERIOD (DAYS)
Potato, Carrot.	Cutworms, Leafworms, Aphids, Whitefly, Thrips.	33 - 42 spray when worms or eggs appear. Repeat spraying every 2 weeks.	21
Wheat	Aphid	4.6 - 7.6	7
Rice	Borers Hoppers	18 - 24.2 21 - 25	7
leek	Leek maggot	60 - 87	7

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD:

24 hours after the last application.

COMPATIBILITY:

Compatible with most fungicides and insecticides except alkaline materials.

*** OTHER FORMULATIONS & TRADE NAME:**

**CHLOROFET- 48% WP, CHLOROFET - 50% EC, CHLOROFET - 55% EC,
CHLOROTHRIN - 55% EC (CHLORPYRIFOS 50% + CYPERMETHRIN 5%).**

• For more details about first aid & precautions please refer to first aid & precautions index.