

# CYCURON-25%

**FUNGICIDE  
WETTABLE POWDER**

**VAPCO**

**Class:  
Phenylurea**

**Non-systemic fungicide with protective action, control most of fungal diseases on the crops mentioned in the table of uses.**

**COMPOSITION:** Each kg contains:

**PENCYCURON**

**25% W/W (A.I)**

**PROPERTIES:**

**CYCURON-25%:** Non-systemic fungicide with protective action.

**CYCURON-25%:** Control fungal diseases caused by Rhizoctonia, wilt diseases, black scurf and blights.

**CYCURON-25%:** Can be used as a foliar spray and dust application, as a seed treatment, or by soil incorporation.

**CYCURON-25%:** Slightly toxic to human and toxic to fish.

**USES AND APPLICATION RATE:**

CROP	DISEASE	RATE AND METHOD OF APPLICATION
Vegetables (Tomato, Cucumber, Squash, Eggplant, Pepper, Lettuce, Cabbage, Cauliflower, Radish... )	Wilt	Drench and incorporation in field at transplanting 5 - 6 Kg /ha
Potatoes	Late Blight	Seed Treatment: 600 gm -1000 gm /Ton Of Seeds
	Black Scurf	Tuber Treatment: 1kg/Ton Of Tubers
Sugar Beet	Wilt	Foliar Application: 200 gm / Donum
Rice	Blights	Foliar Application: 600 gm -1000 gm /Ton Of Seeds
Cotton	Wilt	Seed Treatment 1.8 - 3.0 Kg / Ton Of Seeds
Ornamentals and Turf	Wilt	Drench And Incorporation In Field At ransplanting 5 - 6 Kg / ha

Ton = 1000 kg

• For more details about first aid & precautions please refer to first aid & precautions index.

**CAUTION:**

Used only on above mentioned crops.

**RE-ENTRY PERIOD:**

24 hours from last treatment.

**COMPATIBILITY:**

Compatible with most fungicides and insecticides.

• For more details about first aid & precautions please refer to first aid & precautions index.