

DEWORMER – BOLUS



COMPOSITION: Each bolus contains:

Fenbendazole **100 mg**

INDICATIONS

Infestation with gastrointestinal nematodes, lungworms and tapeworms, in cattle, buffaloes, sheep, goats, horses, dogs and cats such as *Haemonchus* spp., *Ostertagia* spp., *Trichostrongylus* spp., *Cooperia* spp., *Nematodirus* spp., *Bunostomum* spp., *Gairdia* spp., *Capillaria* spp., *Oesophagostomum* spp., *Chabertia* spp., *Trichuris* spp., *Strongyloides* spp., *Dictyocaulus* spp., *Toxascaris vitulorum*, *Moniezia* spp. Infestation of horses with large and small *Strongylus* spp., *Parascaris equi*, *Oxyuris equi* and *Strongyloides* spp.

DOSAGE:

- **for cattle, buffaloes, sheep, goats, horses:**

one 100 mg bolus per 20 kg body weight.

- **for dogs and cats:**

one 100 mg bolus per 2 kg body weight for 3 consecutive days at the dose rate of 50 mg fenbendazole per kg body weight.

WITHDRAWAL PERIOD :

- for meat consumption: 14 days
- for milk consumption : 3 days

REMARK :

- repeat treatment after 4-6 weeks when necessary
- regular deworming at interval of 6-8 weeks may be required for equines

STORAGE: keep in dry, dark place below 30 C

PACKING : 50 boluses