

# DIAZINON-10%

INSECTICIDE  
GRANULES

VAPCO

Class:  
Organophosphate

Non-systemic insecticide with contact and stomach action with a wide spectrum uses.

**COMPOSITION:** Each kg contains:

**DIAZINON**

**10% W/W (A.I)**

**PROPERTIES:**

**DIAZINON-10%:** Non-systemic insecticide with contact, stomach and respiratory action to control soil insects.

**DIAZINON-10%:** Control a wide range of soil insects and worms which attack agricultural crops listed in the table.

**DIAZINON-10%:** Moderately toxic to mammals.

**USES AND APPLICATION RATE:**

CROP	PESTS	APPLICATION RATE / DONUM	NOTES
Potato, Tomato, Squash, Cucumber, Cabbage, Watermelon, Onion.	Cutworms	1.25 Kg	Scattering on soil
Apple, Pear, Quince, Plum, Apricot, Peaches, Nectarine, Cherries, Almond	<i>Tropinota Squalida</i> Larvae	1.75 Kg	Scattering on soil
Olives	Borers, Soil Insects	1 – 1.5 Kg	Scattering on soil
Maize	Maize borers	1.5 Kg	Used Once by Scattering on soil
Cereals	Cutworms, Stem Borer, Beetles.	0.5 – 1 kg	---
Rice	Leafminers	1.4 Kg	Scattering on soil
Soybean	Cutworms	1.2 Kg	Scattering on soil
Cotton	Cutworms	1.2 Kg	Scattering on soil
Peanuts	Cutworms	1.2 Kg	Scattering on soil
Sugarcane	Sugarcane beetles ( <i>Pentodon Bispinosus</i> )	1.4 Kg	Scattering on soil
Gardens and Lawns	Beetles, Wireworms, Ants, Borers	5 kg	Distributed evenly in the soil while applied through irrigation water to the Lawns.

Donum = 1000 m<sup>2</sup>

• For more details about first aid & precautions please refer to first aid & precautions index.

**CAUTION:**

Used only on above mentioned crops.

**COMPATIBILITY:**

Compatible with most pesticides of similar presentation but incompatible with alkaline compounds.

**\* OTHER TRADE NAME: VAZINON – 10% GR.**

**• For more details about first aid & precautions please refer to first aid & precautions index.**