


FLORAM – 30%

Injectable Solution



COMPOSITION : Each ml contains :

Florfenicol 300 mg

PROPERTIES :

- Florfenicol is highly active and broad spectrum antibiotic against many gm +ve and gm-ve bacteria .
- It acts by binding the ribosomal subunit and inhibiting the bacterial protein synthesis.

INDICATIONS :

For the treatment of the bacterial infections in cattle and pigs.

- **Cattle :**
 - the respiratory diseases caused by the
 - bacteria : pasteurella multocida , manheimia haemolytica , histophilus somni.
 - foot rot caused by the bacteria : fusobacterium necroforum , bacteroides melaninogenicus .
- **Pigs :** the respiratory diseases caused by the bacteria : actinobacillus pleuropneumoniae, pasteurella multocida, salmonella cholerae suis , streptococcus suis .

DOSAGE : (by intramuscular or subcutaneous injection)

- **Cattle :** (in the neck muscle)
10 ml / 150 kg b.wt.
(20 mg activity / kg b.wt)
Repeat the dose after 2 days in another site of the neck muscle .

OR

by a single subcutaneous injection in the neck region :

- **Pigs :** by intramuscular injection .
1 ml / 20 kg b.wt.
(15 mg activity / kg b.wt.)
repeat the dose after 2 days .

SAFETY PERIOD :

For meat consumption :

Cattle : 39 days (for i.m. injection)

44 days (for s.c. injection)

Pigs : 22 days

REMARKS :

- The dose should be subdivided .
- Do not inject , in each site , more than 10 ml for cattle , and not more than 3 ml for pigs.
- Not given to milking cattle .
- Not used for animals of breeding age.

STORAGE : Keep in dry, dark place below 30 °C.

PACKING : (50,100) ml.