

# NICLOSAMIDE-70%

MOLLUSCICIDE  
WETTABLE POWDER

Class :  
Chloronitrophenol  
Derivative

Molluscicide used to control Snails which act as intermediate hosts, also used for veterinary control of Tapeworm.

**COMPOSITION :** Each kg contains:

**NICLOSAMIDE**

**70% W/W (A.I)**

## PROPERTIES:

**NICLOSAMIDE-70%:** A molluscicide with respiratory and stomach action.

**NICLOSAMIDE-70%:** Control Golden Apple Snail in Rice, and killing Fresh-Water Snails which act as intermediate hosts. Also used for veterinary control of the Tapeworm infestation.

**NICLOSAMIDE-70%:** Non-phytotoxic when used as recommended.

**NICLOSAMIDE-70%:** Slightly toxic to mammals and highly toxic to Fish, no significant mortality effects on Bees.

## USAGE AND DOSAGE:

- **NICLOSAMIDE-70%:** Used to control water Snails and Golden Apple Snails on Rice, Maize and Citrus.

- **NICLOSAMIDE-70%:** The amount that needs to apply to achieve a high degree of efficacy basically depends on the water level in the Paddy at the time of control.

- For the water depth of 3 cm, the recommended application rate of **NICLOSAMIDE-70%** is 360 gm/ha.

- For water levels more than 3 cm depth, application rates of **NICLOSAMIDE-70%** 540 gm/ha.

Hectare = 10000 m<sup>2</sup>.

## TIME OF APPLICATION :

Good results are achieved if **NICLOSAMIDE-70%** is applied after Rice has been transplanted when the field is irrigated and the Golden Apple Snail becomes active.

## REMARKS:

- The extent of the damage depends on the density of the Snail population and on the age of Snail.

- The snail activity is determined by the water level in the Paddy fields.

- The Rice plants are at particular risk from the Snails in the first 15 days after planting.

- The Golden Apple Snail can survive in dry periods for up to 3 months by burying in soil and lying dormant this behavior means that summer planting are at greater risk, after flooding the Snails become active again within a matter of 5-10 minutes.

**RE-ENTRY PERIOD:** 48 hours after the last application.

**COMPATIBILITY:** Compatible with most pesticides except acidic materials.

- For more details about first aid & precautions please refer to first aid & precautions index .