



COMPOSITION: Each gm contains:

Doxycycline HCL 100 mg Oxytetracycline HCL 200 mg

PROPERTIES:

- A combination of two broad spectrum antibiotics which are effective against different Gm +ve and Gm –ve bacteria and some large viruses.
- · The rapid absorption and slow excertion of doxycycline exerts additional activity.

INDICATIONS:

- Prevention and treatment of different infections of the respiratory, alimentary and urogenital tracts infections such as: Mycoplasmosis, CRD, Coryza, Colibacillosis, Omphalitis and Yolk sac Infection, Enteritis, Salmonellosis, Pasteurellosis, Necrotic enteritis, Clostridial infections, Air succulitis, Sinusitis, Synovitis, Staph, Strept, Coryne, Hexamitiasis, Spirochaeta, Listeria, Leptospira, Vibrio, diarrhea.
- Stress conditions due to vaccination, rehousing, debeaking, transporting, changes of feed and weather.

DOSAGE: (Treatment duration for 5 days)

- Poultry: 100 gm per 200 litres of drinking water.
- Pre-ruminating (calves, lambs and kids): 0.5 gm per 10 kg B.wt. daily and orally with water.

Prevention: Half dosage for the same period.

SAFETY PERIOD:

For meat & eggs consumption: 7 days.

REMARKS:

- During application, do not medicate water with minerals salts.
- During treatment, eggs not used for human consumption.

STORAGE: Keep in dry, dark place below 30 °C.

PACKING: (100, 250, 500, 1000) GM.