

PHINCO-T 22

**PUBLIC HEALTH INSECTICIDE
EMULSIFIABLE CONCENTRATE**

VAPCO

Class:
**Pyrethroid⁽¹⁾
Synergist⁽²⁾**

Public health insecticide with high activity for controlling insects affecting public health.

COMPOSITION: Each liter contains:

PERMETHRIN⁽¹⁾	9.75% W/V (A.I.)
TETRAMETHRIN⁽¹⁾	1.5% W/V (A.I.)
PIPERONYL BUTOXIDE⁽²⁾	11.25% W/V (A.I.)

PROPERTIES:

PHINCO-T 22: A special formulation containing a complex of Pyrethroidal compounds and the synergist Piperonyl butoxide with high activity for controlling crawling and flying insects affecting public health and Stores.

PHINCO-T 22: An effective insecticide against a wide range of insects which became resistant Chlorinated and Organophosphorus insecticide.

PHINCO-T 22: Has a fast knockdown, odourless with contact action, acts on the central Nervous system.

PHINCO-T 22: Diluted with water, diesel or kerosene.

PHINCO-T 22: Could be applied by mist, thermal fogging or ultra low volume (ULV).

PHINCO-T 22: A special blend of Permethrin (cis: trans, 40: 60) which means more safety and lower toxicity to mammals.

USES AND APPLICATION RATE:

Dilute 3 parts pf PHINCO-T22 with 17 parts of solvent (diesel, kerosene or water) and spray as follows:

TYPE OF APPLICATION	TYPE OF SPRING	APPLICATION RATE
Indoor	Ultra low volume (ULV).	75 – 125 ml / 1000 m ²
	Mist	350 – 650 ml / 1000 m ²
	Thermal fogging.	200 ml / 1000 m ²
Outdoor	Ultra low volume (ULV).	50 – 200 ml of spray solution / donum. Depending on the conditions in the treated area.
	Mist.	
	Thermal fogging.	

Hectare = 10000m²

RE-ENTRY PERIOD: 48 hours after the last treatment.

RESIDUAL ACTIVITY: About 3 months.

• For more details about first aid & precautions please refer to first aid & precautions index.