

# ROSANTEL 10%

Injectable Solution  
For Sheep, Goats, Cattle, Camels



**COMPOSITION :** Each ml contains :  
**Closantel 100 mg**

## PROPERTIES :

- A salicylanilide anthelmintic with a wide spectrum activity against several spp. And developmental stages of trematodes ( adults and juvenile flukes , nematodes,parasitic larvae of flies and arthropodes.
- Has a lasting effect , as it keeps therapeutical levels for long period .
- Due to its prolonged terminal plasma half-life, where the long persistence of activity helps prevent haemonchus infestation of sheep up to (60) days, and enhances efficacy against fascioliasis.
- Well tolerated and safe .
- has no adverse effect on the reproductive activity ( in rams, bulls , ewes ) .

## INDICATIONS :

- For the treatment and control of different endo and ectoparasites attacking the ruminants .
- Trematodes ( Hepatic Distomiasis : Liver flukes( Fasciola Hepatica , F.Giganatica ) , Paramphistomum .
- Nematodes (Round Worms ) : Haemonchus, Strongyloids, Oesophagostomum , Bunostomum , Chabertia, Gaigeria, Cooperia, Ostertagia, Capillaria.
- Sheep Nasal Bot Fly ( Oestrus Ovis ) Larvae.
- Myiasis ( Cattle Grubs – Warble - ) :Hypoderma Bovis, H.Lineatum.
- Myiasis (Tropical Cattle Grubs) : Dermatobia Hominis.
- Lice Infestation (Pediculosis ) :
  - Biting Lice : Damalina
  - Sucking Lice : Linognatus , Haematopinus .

## DOSAGE : ( By Subcutaneous Injection )

ANIMALS	PARASITES SPP.	DOSAGE
Cattle , Camels	• Fasciola Spp., Nematodes	0.5 ml /20 kg b.wt.
	• Hypoderma Spp.	0.5 ml /10 kg b.wt
Sheep , Goats	• Fasciola Spp., Nematodes,	0.5 ml /10 kg b.wt.
	• Paramphistomum	0.5 ml /10 kg b.wt.
	• Haemonchus, Other Nematodes , Oestrus Ovis Larvae	0.5 ml /20 kg b.wt.



**SAFETY PERIOD :**

For meat & milk consumption : 30 days .

**STORAGE :**

Keep in dry, dark place below 30 °C.

**PACKING :** (50,100) ML .