

ROSANTEL 5%

Injectable Solution
For Sheep, Goats, Cattle, Camels



COMPOSITION : Each ml contains :
Closantel 50 mg

PROPERTIES :

- A salicylanilide anthelmintic with a wide spectrum activity against several spp. and developmental stages of trematodes (adults and juvenile flukes , nematodes, parasitic larvae of flies and arthropodes.
- Has a lasting effect , as it keeps therapeutical levels for long period .
- Due to its prolonged terminal plasma half-life, where the long persistence of activity helps prevent haemonchus infestation of sheep up to (60) days, and enhances efficacy against fascioliasis.
- Well tolerated and safe .
- has no adverse effect on the reproductive activity (in rams, bulls , ewes) .

INDICATIONS :

- For the treatment and control of different endo and ectoparasites attacking the ruminants .
- Trematodes (hepatic distomiasis) : Liver flukes(Fasciola Hepatica , F.Gigantica), paramphistomum .
- Nematodes (round worms) : haemonchus, strongyloids, oesophagostomum , bunostomum , chabertia, gaigeria, cooperia, ostertagia, capillaria.
- Sheep nasal bot fly (oestrus ovis) larvae.
- Myiasis (cattle grubs – warble -) :hypoderma bovis, h.lineatum.
- Myiasis (tropical cattle grubs) : dermatobia hominis.
- Lice infestation (pediculosis) :
 - Biting lice : damalina
 - Sucking lice : linognatus , haematopinus .

DOSAGE : (BY SUBCUTANEOUS INJECTION)

ANIMALS	PARASITES SPP.	DOSAGE
Cattle , Camels	• Fasciola Spp., Nematodes	1 ml /20 kg b.wt.
	• Hypoderma Spp.	1 ml /10 kg b.wt
Sheep , Goats	• Fasciola Spp., Nematodes,	1 ml /10 kg b.wt.
	• Paramphistomum	1 ml /10 kg b.wt.
	• Haemonchus, Other Nematodes , Oestrus Ovis Larvae	1 ml /20 kg b.wt.



SAFETY PERIOD :

For meat & milk consumption : 30 days .

STORAGE :

Keep in dry, dark place below 30 °C.

PACKING : (50,100) ML .