

TYLOXIN

Water Soluble Powder



COMPOSITION: Each gm contains:

Tylosin (As Tylosin Tartrate)	200 mg
Doxycycline HCL	200 mg

PROPERTIES:

- A combination of two broad spectrum antibiotics which are effective against different Gm +ve and Gm -ve bacteria and some large viruses.
- Tylosin is very active against respiratory infections.
- Doxycycline, the rapid absorption and slow excretion of doxycycline exerts additional activity.

INDICATIONS:

- Prevention and treatment of different infections of the respiratory, alimentary and urogenital tracts such as: Mycoplasmosis, CRD, Coryza, Colibacillosis, Omphalitis and Yolk sac infection, Enteritis and diarrhea, Pasteurellosis, Necrotic enteritis, Air succulitis, Sinusitis, Synovitis, Staph, Strept, Coryne, Hexamitiasis, Spirochaeta.
- Stress conditions due to vaccination, rehousing, debeaking, transporting, changes of feed and weather.

DOSAGE: (Treatment duration: 4-5 days).

- **Treatment:**
 - **Poultry:** 100 gm per 200 litres of drinking water.
 - **Different animals:** 0.5 gm per 10 kg B.wt. daily and orally with water.
- **Prevention:** Half dosage for the same period.

SAFETY PERIOD:

For meat consumption: 15 days.

For eggs consumption: 4 days.

REMARKS:

- During application, do not medicate water with minerals salts.
- During treatment eggs not used for human consumption

STORAGE: Keep in a dry, dark place below 30 °C.

PACKING: (100, 250, 500, 1000) GM.