

# VAP-MALATHION -57%

**INSECTICIDE  
EMULSIFIABLE CONCENTRATE**

**VAPCO**

Class:  
**Organophosphate**

Non systemic insecticide with a wide spectrum of uses in agricultural field.

**COMPOSITION:** Each liter contains:

**MALATHION**

**57% W/V (A.I)**

**PROPERTIES:**

**VAP-MALATHION-57%:** Non systemic organophosphorus insecticide to control a wide range of insects.

**VAP-MALATHION-57%:** Control a wide range of insects like: Bugs, Aphids, thrips, Leaf maggot, Pear psylla and Grain beetles.

**VAP-MALATHION-57%:** Slightly toxic to mammals.

**USES AND APPLICATION RATE:**

CROP	PESTS	APPLICATION RATE ML / 20 LT. WATER	SAFETY PERIOD (DAYS)
Beans, Cabbage, Cauliflower, Eggplant, Peas, Pepper, Carrote, Radish, Tomatoes, Onions, Cucumber, Melons, Squash.	Aphid, Leafworms, Cutworms.	22 - 26	7
Apples, Pear, Peach, Apricots, Plum, Figs, Olives, Pomegranate, Citrus Trees.	Aphids, Fruit fly, Olive fruit fly, Apple Fruitworm, Cadling moth	26 - 35	21
Wheat	Leaf Fly, Leaf maggot	35 - 44	21
Hops	Aphid, Spider mites.	23	10
Rice	Rice Leafminer	58	7
Avocado	Thrips, Scales.	35	7
Guava, mango, Passion Fruit	Fruit fly	18	2
Papaya	Aphids, Mealy bugs.	35 - 47	May be applied on the day of harvest

• For more details about first aid & precautions please refer to first aid & precautions index.

<b>CROP</b>	<b>PESTS</b>	<b>APPLICATION RATE ML / 20 LT. WATER</b>	<b>SAFETY PERIOD (DAYS)</b>
<b>Pecans</b>	Aphids, Spider mites, Walnut aphid, Red mites, Phylloxera	35 - 47	May be applied on the day of harvest
<b>Pineapple</b>	Mealy bug	23	7
<b>Walnuts</b>	Aphids, Red mites, Walnut aphid, Walnut husk fly.	12	May be applied on the day of harvest
<b>Corn</b>	Aphid, Earworm, Rootworm adult, Grass hopper, Beetles, Thrips,	35	5
	Army Worms.	35 - 47	
<b>Cotton</b>	Leafworms, Aphid, Mites, Leafhopper, Lygus Bugs, Thrips, Whiteflies, Boll Weevil.	12 - 47	May be applied on the day of harvest

**CAUTION:**

Used only on above mentioned crops and follow the recommended safety period before harvest

**PHYTOTOXICITY:**

- Non-phytotoxic in general, if used as recommended.
- May cause injured to the cucurbits, beans and ornamentals which planted on glass houses and some apple, pear and grape species.

**RE-ENTRY PERIOD:**

24 hours after the last application.

**COMPATIBILITY:**

Compatible with most pesticides except alkaline materials.

**\* OTHER TRADE NAME: VAPTHION - 57% EC.**

• For more details about first aid & precautions please refer to first aid & precautions index.