

VAPCOTRIL

Oral Solution

VAPCO
ANTIBACTERIAL

COMPOSITION: Each ml contains:

Norfloxacin

100 mg

PROPERTIES:

- A fluoroquinolone antibiotic characterized by quick absorption and rapid high serum level.
- Has a broad spectrum efficacy against a wide range of bacteria and mycoplasmas:
 - Gm+ve bacteria : Staph, Strept, Coryne, Clostridia and Listeria.
 - Gm-ve bacteria: E. coli, Salmonella, Klebsiella, Proteus, Yersinia, Vibrio, Haemophilus, Pasteurella, Actinobacillus, Pseudomonas, Bordetella, Brucella, Moraxella and Campylobacter.
 - Mycoplasmas : M. gallisepticum, M. synoviae, M. meleagridis.....etc.

INDICATIONS :

For prevention and treatment of different infections:

- **Poultry:** CRD, Colibacillosis, Coryza, Fowl cholera, Fowl typhoid, other Salmonellosis (S. typhimurium, S. enteritidis etc.), Staph and Strept infections, Mycoplasmosis, Hexamitiasis, Vibronic hepatitis etc...
- **Calves, Lambs, kids:** Enteritis, diarrhea and respiratory infections of newly-born and growing off-springs due to Colibacillosis, Pasteurellosis, Salmonellosis, Mycoplasmosis, and Clostridia, Vibronic dysentery and Synovitis as well.
- **Rabbits:** Pasteurellosis, Enterotoxaemia, enteritis, dysentery, snuffle, respiratory infections, Listeriosis, endometritis, Tyzzer's disease and Yersinia infection (Rodentiosis).

DOSAGE: (Treatment duration for 3-5 days).

- **Treatment:**
 - **Poultry:** 100 ml per 200 litres of drinking water.
 - **Calves, Lambs, kids, Rabbits:**
0.3-0.5 ml / 10 kg B.wt. daily and orally with water.
(3-5 mg activity per kg B.wt. daily)

PREVENTION: Half dosage for the same period.

SAFETY PERIOD: for meat consumption: 7 days

STORAGE: Keep in dry, dark place below 30 °C.

PACKING: (100, 250, 500, 1000) ML.