

VAPCOZIN-20%

ACARICIDE / INSECTICIDE
EMULSIFIABLE CONCENTRATE

VAPCO

Class:
Amidine

Non systemic acaricide and insecticide with destructive effect against all stages of mites and insects in a wide range of crops.

COMPOSITION: Each liter contains:

AMITRAZ

20% W/V (A.I)

PROPERTIES:

VAPCOZIN-20%: Is an acaricide, insecticide effective against a wide range of mites and insects with low toxicity to mammals.

VAPCOZIN-20%: Controls all stages of mites (egg, larvae, nymph and adult) which became resistant to other pesticides therefore decrease the number of treatments.

VAPCOZIN-20%: Special activity against some insect pests such as whiteflies, scale insects, leafminers, psylla, aphids, moth and mealy bugs.

VAPCOZIN-20%: Low toxicity to bees, natural enemies of spider mites and pollination insects.

VAPCOZIN-20%: Controls a wide range of mites on agricultural crops.

USES AND APPLICATION RATE :

CROP	PESTS	APPLICATION RATE ML / 20 LT. WATER	TIME OF APPLICATION	SAFETY PERIOD (DAYS)
Plum, Apricot, Cherries And Peach	Red Mites	20 - 40	When About 60 - 80% Of Overwintering Eggs Hatch Or At The Appearance Of Two Insects Or Mites/Leaf.	21
	Aphid, Whiteflies, Scale Insect And Leaf Hoppers	30		
Apple, Quince And Loquat	European Red Mites.	20 - 40	When About 60 - 80% Of Overwintering Eggs Hatch Or At The Appearance Of Two Insects Or Mites/Leaf.	21
	Aphid, Whiteflies, Scale Insect And Leaf Hoppers	30		
Pears	Pear Psylla	40 - 50	When Symptoms Appear	21
Pineapple	Red Mites	40	When Symptoms Appear	7
Mangoes	Red Mites	40	When Symptoms Appear	7
Tomato, Eggplant And Pepper,	Rust Mites	30 - 50	When symptoms appear. Repeat spraying when need, every two or three weeks.	7
	Aphid, Whiteflies, Leaf Hoppers And Caterpillars	30		

• For more details about first aid & precautions please refer to first aid & precautions index.

CROP	PESTS	APPLICATION RATE ML / 20 LT. WATER	TIME OF APPLICATION	SAFETY PERIOD (DAYS)
Citrus	Two-spotted Mite	10 - 50	When a rate of two mites appear per one leaf	14
	Citrus Red Mite	6 - 50		
	Citrus Rust Mite	10 - 50		
	Aphid, Whiteflies, Leaf Hoppers, Scale Insects And Caterpillars	30		
Cucumber, Squash, Pumpkin, And Watermelon	Red Mites Aphid, Whiteflies, And Caterpillars	30 - 50	When symptoms appear	21
Strawberry	Red Mites Aphid, Whiteflies And Caterpillars	30 - 50	When symptoms appear	21
Date Palms	Red Mites Aphid, Whiteflies, Leaf Hoppers, Scale Insects And Caterpillars	30	When symptoms appear	35
Olives	Red Mites	50	When symptoms appear	28
Cotton	Bollworm And Budworm	40	When symptoms appear	21
Roses	Red Mites Aphid And Whiteflies	40	When symptoms appear	---
Ornamentals	Rust Mites, Red Mites, Aphid And Whiteflies	30 - 50	When symptoms appear	---

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD:

24 Hours from last treatment.

COMPATIBILITY:

Compatible with most common fungicides and insecticides except alkaline materials and parathion.

• For more details about first aid & precautions please refer to first aid & precautions index.