
# TRIPLE SULPHA





**COMPOSITION:** Each gm contains

Sulphadimidine Na 250 mg Sulphadiazine Na 250 mg Sulphathiazole Na 250 mg

### PROPERTIES:

- 3-Combined valuable sulpha components, with a high antibacterial activity against Gm +ve and Gm -ve bacteria: Coli, Staph, Strept, Salmonella, Pasteurella, Proteus, Chamydia etc..
- Also effective against Eimeria spp. (Coccidia).
- Sulphonamides diffuse very widely into tissues and thus exert effectiveness against the bacterial infections.
- Sulphonamides are well tolerated and have low toxicity, hence they are safe to be used.

## INDICATIONS:

■ Poultry: Coryza, Caecal coccidiosis.

■ Ruminants: Pneumonia, Enteritis, Scour, Foot rot, Haemorrhagic septicaemia (Pasteurella)

Equines: Pneumonia, Strangles, Enterits, Diarrhea.

#### DOSAGE:

## Mix well before use.

■ **Treatment:** Duration for 3-5 days.

Species	TRIPLE SULPHA
Poultry	250 gm per 200 liters of
	drinking water
Ruminants, Equines	10-15 gm per 50 kg B. wt.
_	daily and orally with water

■ **Prevention:** Half dosage for 3 days.

#### SAFETY PERIOD:

• For meat consumption: 7 days.

For milk consumption: 4 days.

## REMARKS:

Not recommended for young stocks and layers.

• Ensure adequate water intake during treatment to reduce the risk of crystalluria.

STORAGE: Keep in a dry, dark place below 30 °C.

PACKING: (100, 250, 500, 1000) GM.