

USES AND APPLICATION RATE:

CROP	PEST	APPLICATION RATE ML / 20 LT OF WATER	SAFETY PERIOD
APPLES, PEARS, PLUM, APRICOT, CHERRY, ALMOND, PEACH, NECTARINE	BUD MITE, ERIOPHYID MITES	10 – 15	21 DAYS
	RED SPIDER MITE, TETRANYCHUS MITES, FLAT MITE	15 - 20	
ORANGES, LEMON, GRAPEFRUIT, MANDARIN.	BUD MITE, ERIOPHYID MITES	10 – 15	21 DAYS
	RED SPIDER MITE, TETRANYCHUS MITES, FLAT MITE	15 - 20	
TOMATO, POTATO, EGGPLANT, PEPPER, CUCUMBER, WATERMELON, MUSKMELON, SQUASH, PEAS, BEAN, COWPEA, CHICKPEAS, LENTILS	RED SPIDER MITE	20 - 30	14 DAYS
GRAPES	GRAPE ERINEUM MITE, RED SPIDER MITE	15 - 20	21 DAYS
ORNAMENTALS	RED SPIDER MITE	15 - 20	-----

RE-ENTRY PERIOD:

DON'T ENTER FIELD BEFORE 24 HOURS FROM LAST APPLICATION.

PHYTOTOXICITY:

SLIGHTLY PHYTOTOXIC TO CERTAIN VARIETIES OF APPLE, PLUM, AND ORNAMENTALS.

PRECAUTIONS:

- READ THE LABEL BEFORE USE AND FOLLOW ITS INSTRUCTIONS STRICTLY.
- BEFORE USE WEAR PROTECTIVE CLOTHING, GOGGLES, GLOVES AND FACE SHIELD.
- WASH HANDS AND EXPOSED SKIN BEFORE, EATING, DRINKING OR SMOKING AND AFTER WORK.
- DO NOT SMOKE, DRINK OR EAT DURING USE.
- AVOID INHALATION OF VAPORS OR SPRAY MIST
- STORE PESTICIDE IN ITS ORIGINAL CONTAINER TIGHTLY CLOSED AWAY FROM CHILDREN, IN A WELL – VENTILATED PLACE AND AWAY FROM TEMPERATURE SOURCES.
- DISPOSE THE EMPTY CONTAINER SAFELY, TRIPLE OR PREFERABLY PRESSURE RINSE CONTAINER BEFORE DISPOSAL
- DO NOT CONTAMINATE STREAMS, RIVERS OR WATERWAYS WITH THIS PESTICIDE PR USED CONTAINER