



CLASH-24% SC ACARICIDE SUSPENSION CONCENTRATE

NEW DEVELOPED NON SYSTEMIC ACARICIDE WITH CONTACT ACTION, HIGHLY EFFECTIVE AGAINST ALL STAGES OF MITES (EGG, LARVAE, NYMPH AND ADULT) ON A WIDE RANGE OF CROPS LISTED IN THE TABLE.

COMPOSITION:

EACH 1 LITER OF **CLASH-24% SC** CONTAINS:

BIFENAZATE **24.0 % W/V (A.I)**

COMMERCIAL PROPERTIES:

CLASH-24% SC:

NEW DEVELOPED NON SYSTEMIC ACARICIDE WITH CONTACT ACTION, HIGHLY EFFECTIVE AGAINST ALL STAGES OF MITES (EGG, LARVAE, NYMPH AND ADULT) ESPECIALLY FOR TOW-SPOTTED SPIDER MITES.

CLASH-24% SC:

HAVE A LONG RESIDUAL ACTIVITY COMPARED WITH OTHER ACARICIDES PRODUCTS.

CLASH-24% SC:

HAS NO IMPACT ON THE NATURAL ENEMIES, BENEFICIAL INSECTS OR THE CROP PLANTS USED IN INTEGRATED PEST MANAGEMENT (IPM).

USES AND APPLICATION RATE

CROPS	PEST	APPLICATION RATE /20 LT OF WATER	SAFETY PERIOD
TOMATO	TWO-SPOTTED SPIDER MITE	8 ML	3 DAYS
STRAWBERRY	TWO-SPOTTED SPIDER MITE, RED SPIDER MITE, SILVER MITE	8 ML	3 DAYS
CUCUMBER, PEPPER, EGGPLANT, SQUASH	TWO-SPOTTED SPIDER MITE, RED SPIDER MITE, SILVER MITE	8 ML	3 DAYS
APPLES, PEARS	TWO-SPOTTED SPIDER MITE, RED SPIDER MITE	26 ML	7 DAYS
PEACHES, NECTARINE, PLUME, APRICOTS	TWO-SPOTTED SPIDER MITE, RED SPIDER MITE	26 ML	7 DAYS
ORNAMENTALS	TWO-SPOTTED SPIDER MITE	8 ML	3 DAYS

ISO 9001 & 14001 REGISTERED



VAPCO

**VETERINARY & AGRICULTURAL
PRODUCTS MANUFACTURING CO. LTD.**



NOTE:

- USED ONLY ON THE ABOVE MENTIONED CROPS AND FOLLOW THE RECOMMENDED SAFETY PERIOD BEFORE HARVEST
- DANGEROUS TO BEES, DO NOT SPRAY PLANTS IN FLOERING STAGE.
- TO DECREASE THE PESTICIDE RESISTANCE, USE ANOTHER MITICIDE/ACARICIDE AFTER SPRAYING CLASH-24% SC

RE-ENTRY PERIOD:

DON'T ENTER FIELD BEFORE 24 HOURS FROM LAST APPLICATION.