

VAPCO







VAPCOMIC-PRO 50.4% SC ACARICIDE/INSECTICIDE SUSPENSION CONCENTRATE

INTRODUCTION:

NON SYSTEMIC MITICIDE AND INSECTICIDE EFFECTIVE THROUGH CONTACT ACTION AND LONG RESIDUAL ACTIVITY.

COMPOSITION: EACH LITER CONTAINS:

BIFENAZATE 48.0 % W/V (A.I) ABAMECTIN 2.4% W/V (A.I)

PROPERTIES:

VAPCOMIC-PRO 50.4% SC: IS A UNIQUE COMBINATION OF TWO MITICIDE AND INSECTICIDE COMPOUNDS (BIFENZATE AND ABAMECTIN) THAT PROVIDES QUICK KNOCKDOWN AND LONG RESIDUAL ACTIVITY

VAPCOMIC-PRO 50.4% SC: COMBINES TWO UNIQUE MODES OF ACTION TO CONTROL ALL STAGES OF MITE (EGGS AND MOTILE STAGES) AND INSECT.

VAPCOMIC-PRO 50.4% SC: USED TO CONTROL TWO-SPOTTED SPIDER MITE, CITRUS RED MITE, , EURPEAN RED MITE, STRAWBERRY MITE, RUST MITE, BUD MITE AND LEAFMINER



VAPCO

VETERINARY & AGRICULTURAL PRODUCTS MANUFACTURING CO. LTD.





USES AND RECOMMENDATIONS:

CROPS	PEST	APPLICATION	INSTRUCTIONS	SAFETY
		RATE /20 LT		PERIOD
		OF WATER		
GRAPES	TWO-SPOTTED SPIDER MITE EUROPEAN RED MITE STRAWBERRY SPIDER MITE LEAFHOPPER	13 ML – 18 ML + A NON IONIC SURFACTANT	- GROUND APPLICATION ONLY VAPCOMIC-PRO MUST BE APPLIED IN COMBINATION WITH A NONIONIC ACTIVATOR TYPE WETTING, SPREADING AND/OR PENETRATING SURFACTANT WHEN USING VAPCOMIC-PRO IN COMBINATION WITH A NONIONIC SURFACTANT, CAREFULLY FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THE NONIONIC SURFACTANT LABEL AND IN OFFICIAL SPRAY GUIDES DO NOT USE BINDER OR STICKERTYPE SURFACTANTS.	28 days
ORNAMENTALS	BUD MITE, CITRUS RED MITE, EUROPEAN RED MITE, RUST MITE STRAWBERRY MITE, TWO-SPOTTED SPIDER MITE. LEAFMINERS.	5 ML – 6 ML 9 ML	- BEGIN APPLICATIONS AS SOON AS MITES APPEAR ONE ADDITIONAL APPLICATION CAN BE MADE AFTER 7 DAYS OR AS NECESSARY TO MAINTAIN CONTROL DO NOT MAKE MORE THAN TWO (2) APPLICATIONS PER CROP PER YEAR.	
NON-BEARING	BUD MITE,	5 ML – 6 ML		
FRUIT TREES	CITRUS RED MITE,	J WIL - O WIL		
MUDGEDIEG	EUROPEAN RED MITE,			
NURSERIES, INCLUDING	RUST MITE			
CHRISTMAS	STRAWBERRY MITE,			
TREE / CONIFER	TWO-SPOTTED			
PLANTATIONS,	SPIDER MITE.			
LANDSCAPES,	LEAFMINERS			
INTERIORSCAPES		9 ML		

NOTE:

- USED ONLY ON THE ABOVE MENTIONED CROPS AND FOLLOW THE RECOMMENDED SAFETY PERIOD BEFORE HARVEST
- DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.
- GROUND APPLICATION ONLY; DO NOT APPLY AERIALLY
- DO NOT USE IN CITRUS NURSERIES.

RE-ENTRY PERIOD:

DON'T ENTER FIELD BEFORE 48 HOURS FROM LAST APPLICATION.

CROP TOLERANCE:

MAY BE PHYTOTOXIC TO POME FRUIT WHEN MIXED WITH CAPTAN.

COMPATIBILITY:

COMPATIBLE WITH MOST PESTICIDES EXCEPT CAPTAN MATERIAL, BUT IT IS FAVORABLE TO MAKE COMPATIBILITY TEST BEFORE MIX.