

# Floram 20%

(Oral Solution)

**COMPOSITION:**

Each ml contains:

Florfenicol                      200    mg

**DESCRIPTION:**

Florfenicol is a synthetic broad-spectrum antibiotic. The active ingredient florfenicol is active against many gram-positive and gram-negative bacteria . It acts by inhibiting bacterial protein synthesis.

**INDICATIONS:**

For Treatment of diseases affecting respiratory and gastrointestinal system or any systemic bacterial infections especially by E. coli , Salmonella, Pasteurella spp., Haemophilus spp. , Actinobacillus, Streptococcus spp.

**DOSAGE AND ADMINISTRATION:**

For oral administration via drinking water.

Poultry (broilers)

1 - 2 weeks old: 50 ml per 100 litres of drinking water during 3 days

3 - 4 weeks old: 65 ml per 100 litres of drinking water during 3 days

5 - 6 weeks old: 85 ml per 100 litres of drinking water during 3 days

This is equivalent to 30 mg florfenicol per kg bodyweight.

- Medicated drinking water should be used within 24 hours.

**WITHDRAWAL PERIOD:**

For Meat consumption: 20 days

**CONTRA-INDICATIONS:**

Do not use in layers producing eggs for human consumption.

**INCOMPATIBILITY WITH OTHER DRUGS:**

Do not combine with chlorinators.

**STORAGE:**

Store in a dry, dark place at temperature below 30 °C.

**PACKING:(100,250,500,1000)ML**