VACOMIL-PLUS 50% WP

FUNGICIDE WETTABLE POWDER



Effective systemic preventive and curative fungicide to control a wide range of fungal diseases such as (Blight, Downy mildew) on a wide range of crops and medical plants.

COMPOSITION: Each kg contains:

METALAXYL⁽¹⁾ 15% W/W (A.I) COPPER OXYCHLORIDE⁽²⁾ 35% W/W (A.I)

PROPERTIES:

VACOMIL-PLUS 50% WP: Is a curative and preventive fungicide to control a wide range of

fungal diseases on a wide range of crops.

VACOMIL-PLUS 50% WP: Is effective against a wide range of fungal diseases that affected a

wide range of crops.

USES AND APPLICATION RATE:

CROP	DISEASE	APPLICATION RATE / 20 LT. WATER	SAFETY PERIOD (DAYS)
Apple, Pear	Downy Mildew, Scab, Canker	30 – 35 gm	21
Peach, Apricot, Plum, Cherry	Downy Mildew, Scab, Canker	30 – 35 gm	21
Grapes	Downy Mildew.	30 – 40 gm	7

CAUTION:

- Used only on above mentioned crops and follow the recommended safety period before harvest.
- Some varieties of red Apple especially red delicious are sensitive to this product. Sensitivity test should be done before application.

RE-ENTRY PERIOD:

48 hours from last application.

COMPATIBILITY:

Compatible with most other pesticides, but incompatible with copper compounds, and Dithiocarbamates, but compatability test is recommended before spraing.

[·] For more details about first aid & precautions please refer to first aid & precautions index.