

PYROXIVAP-4.8% EC

ACARICIDE & INSECTICIDE
EMULSIFIABLE CONCENTRATE

VAPCO

Class:
Pyrazolium

Acaricide and insecticide that control all different type of mites in all stages and some insects (suppression for whitefly and some other species) on wide range of crops mentioned on the table of uses.

COMPOSITION: Each liter contains:

FENPYROXIMATE

4.8% W/V (A.I)

PROPERTIES:

PYROXIVAP-4.8% EC: used for the control of leafhoppers, mealybugs, mites, psylla, psyllids, and whiteflies on wide range of crops mentioned on the table of uses.

PYROXIVAP-4.8% EC: works primarily through contact action as mite stops feeding immediately after application and mortality of mites can be observed within 3-7 days after intoxication.

USES AND APPLICATION RATE :

CROP	PEST	APPLICATION RATE (ML/20 LT WATER)	APPLICATION INTERVAL (DAYS)	MAXIMUM APPLICATION RATE (ML/DUNUM /YEAR)	MAXIMUM NUMBER OF APPLICATION	SAFETY PERIOD (DAYS)
Almond, Pistachio	Mites	36-87	14	946	2 Application Per Year	14
Banana	Mites, Whiteflies	24-48	7	473	2 Application Per Year	7
Bean, Pea, Chickpea, Cowpea, Broad Bean, Soybean	Mites, Whiteflies	48	14	473	2 Application Per Year	3
Blueberry, Strawberry	Mites, Whiteflies	24-48	14	473	2 Application Per Year	3
Blackberry	Mites, Mealy bugs	48	14	473	2 Application Per Year	3
	Leafhopper	24-48				
Citrus	Citrus Rust Mite	95	14	473	2 Application Per Year • Control on Citrus Fruit Limited Up To 14 Days.	3

• For more details about first aid & precautions please refer to first aid & precautions index.

CROP	PEST	APPLICATION RATE (ML/20 LT WATER)	APPLICATION INTERVAL (DAYS)	MAXIMUM APPLICATION RATE (ML/DUNUM /YEAR)	MAXIMUM NUMBER OF APPLICATION	SAFETY PERIOD (DAYS)
Citrus	Citrus Leaf miner, Citrus Thrips, Leafhoppers, Mealy bugs, Mites	48-95	14	473	2 Application Per Year	3
Corn	Mites	24-48	14	473	2 Application Per Year	14
Eggplant, Tomato, Okra, Pepper	Mites, Whiteflies	48	14	473	2 Application Per Year	3
Tomato (Green-house)	Mites, Whiteflies	48	14	473 Per DUNUM Per Crop Cycle	4 Application Per Year 2 Application Per Crop Cycle	3
Celery	Mites, Whiteflies	24-48	14	473	2 Application Per Year	3
Watermelon, Muskmelon, Cantaloupe	Mites, Whiteflies	48	14	473	2 Application Per Year	3
Peppermint	Mites	24-48	7	473	2 Application Per Year	3
Pome Fruit	Leafhoppers, Mealy bugs, Mites	24-48	14	237	2 Application Per Year	14
	Pear psylla	48	---		1 Application Per Year	
Potato	Mites, Whiteflies	48	7	473	2 Application Per Year	7
Grape, Kiwifruit	Mites, Mealy bugs	48	14	237	2 Application Per Year • For Vines With A Heavy Canopy, Or In High Pressure Situations, Use Higher Water Volumes. If Lower Water Volume Amounts Are Used, Tractor Speed Must Be Reduced To Ensure Complete Coverage.	14
	Leafhopper	24-48				
Cucumber, Squash, Pumpkin	Mites, Whiteflies	24-48	14	473	2 Application Per Year	3

• For more details about first aid & precautions please refer to first aid & precautions index.

CROP	PEST	APPLICATION RATE (ML/20 LT WATER)	APPLICATION INTERVAL (DAYS)	MAXIMUM APPLICATION RATE (ML/DUNUM /YEAR)	MAXIMUM NUMBER OF APPLICATION	SAFETY PERIOD (DAYS)
Cucumber (Green-house)	Mites, Whiteflies	24-48	---	237 Per DUNUM Per Crop Cycle	2 Application Per Year 1 Application Per Crop Cycle	7
Stone Fruit	Mites, Leafhopper	48	14	473	2 Application Per Year	7
Avocado, Mango, Papaya, Pomegranate	Mites, Leafhopper	48	14	473	2 Application Per Year	7
Artichoke, Ginger, Sweet Potato, Turmeric	Mites, Leafhopper	48	7	473	2 Application Per Year	7
Ornamental Trees, Vines, Shrubs, Foliage, and Flowering Plants	Leafhoppers, Mealy bugs, Mites	24-48	14	237	Do not apply to citrus nurseries or citrus in greenhouses.	---

CAUTIONS:

- Used Only On Above Mentioned Crops and Follow the Recommended Safety Period before Harvest.
- Do Not Apply Through Any Type Of Irrigation System

RE-ENTRY PERIOD:

12 hours from last application.

COMPATIBILITY:

Compatible with most pesticide and compatibility test is recommended before application.

ROTATIONAL CROP RESTRICTIONS:

Do not plant treated soil other than those listed on this label for 30 days following the last application of this product.

• For more details about first aid & precautions please refer to first aid & precautions index.