

BELATHRIN-2.5% EC

INSECTICIDE
EMULSIFIABLE CONCENTRATE

VAPCO

Class:
Pyrethroid

Non-systemic pyrethroidal insecticide with contact and stomach action, also acts on the nervous system of insect, Used to control chewing insects on a wide range of agricultural crops.

COMPOSITION: Each liter contains:

BETA-CYFLUTHRIN

2.5% W/V (A.I)

PROPERTIES:

BELATHRIN-2.5%: Non-systemic pyrethroidal insecticide with contact and stomach action, also acts on the nervous system of insect.

BELATHRIN-2.5%: Gives rapid knockdown.

BELATHRIN-2.5%: Used to control a wide range of insect such as: Leafworm, Fruitworm, Stem Borer and Sucking Insects.

USES AND APPLICATION RATE:

CROP	PESTS	APPLICATION RATE ML / 20 LT. WATER	SAFETY PERIOD (DAYS)
Bean, Cabbage, Cauliflower, Pepper, Garlic, Tomato, Lettuce, Onion, Potato, Watermelon, Cucumber.	Garlic Butterfly, Cotton Bollworm, Cabbage Butterflies, Cotton leafworm.	10 – 12	7
Apple, Peach, Nectarine, Plum	Leaf, Fruit and Bud worm, Leafminer, Pear psylla	10	7
Maize	Cotton Bollworm, Egyption Cotton Leafworm, Corn borer.	10 – 20	14
Field Crops (Corn, Rice, Wheat, Millet, Sorghum, Oats, Lupine, Chickpeas, Lentils, Beans)	Cutworms	6 – 12	7

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD:

48 hours from last application.

COMPATIBILITY:

Compatible with most common insecticides and fungicides, but compatibility test is recommended before spraying.

• For more details about first aid & precautions please refer to first aid & precautions index.