

# FLUZURON-15% SC

**INSECTICIDE  
INSECT GROWTH REGULATOR (IGR)  
SUSPENSION CONCENTRATE**

**VAPCO**

Class:  
**Benzoylurea**

Systemic insect growth regulator begins its effectiveness at the time of moulting or oviposition.

**COMPOSITION:** Each liter contains:

**TEFLUBENZURON**

**15% W/V (A.I)**

**PROPERTIES:**

**FLUZURON-15% SC:** Chitin synthesis inhibitor that interferes with the formation of insect cuticle and lead to disturbance in moulting process of the insect.

**FLUZURON-15% SC:** Economic pesticide effective at a lower dose.

**USES AND APPLICATION RATE:**

CROP	PESTS	APPLICATION RATE PER 20 LT WATER	SAFETY PERIOD (DAYS)
Tomato, Pepper, Cucumber, Eggplant	Leafhopper, beetles, butterfly, cutworm, crawling worm.	10 ml in severe infection, second spray is recommended after 7 days from first application.	3
Potato			28
Pasture			3

**CAUTION:**

Used only on above mentioned crops and follow the recommended safety period before harvest.

**RE-ENTRY PERIOD:**

24 hours from last application.

**COMPATIBILITY:**

Compatible with most pesticides except highly acidic and oxidizing compounds, but compatibility test is recommended before spraying.

• For more details about first aid & precautions please refer to first aid & precautions index.