



VAPCO

**VETERINARY & AGRICULTURAL
PRODUCTS MANUFACTURING CO. LTD.**



THIOMINE

Injectable Solution

COMPOSITION: Each ml contains:

N-ACETYL DL-METHIONINE 200mg

PROPERTIES:

Thiomine is of importance for growth, normal development and the maintenance of health. Its antitoxic effect is utilized for liver - protecting therapy e.g. in the treatment of poisoning.

INDICATIONS: Substitutional therapy of diseases involving the liver, such as parturient paresis, primary liver diseases, secondary liver damage after infectious diseases or intoxications.

DOSAGE:

- **For Bovines, Horses, small ruminants, swine, Dogs.**

- **Bovines:** 50-100 ml.
- **Horse** 50 ml.
- **Small ruminants:** 20 ml.
- **Swine:** 10-50 ml.
- **Dogs:** Up to 10 ml.

If necessary, repeat at intervals of 6-24 hours.

- **ADMINISTRATION:**

-Intramuscularly, subcutaneously, intravenously.

- Orally for small animals.

-When administered intravenously: for large animals, the required dose of THIOMINE is preferably mixed with 500 ml glucose solution 20 %. And THIOMINE can be mixed with a calcium solution, in order to avoid shock,

- Intra-venous injections should be given slowly (duration of injection of 50 ml 2-3 minutes).

WITHDRAWAL PERIOD: Nil

REMARKS

- **The dose is to be divided between several sites when injected subcutaneously in small animal.**

ISO 9001 & 14001 REGISTERED



DNV Certification B.V., The Netherlands

VAPCO

**VETERINARY & AGRICULTURAL
PRODUCTS MANUFACTURING CO. LTD.**



STORAGE: Keep in dry, dark place below 30 °C.

PACKING: (50, 100) ml.

FOR VET USE ONLY